




Note that all unique customer requirements (i.e tolerance) need to be verified thru Alfa Laval.



B 21  
Alloy 316  
S1,S2,S3,S4



HEATING SURFACE  
NETWEIGHT 5.16 kg  
OPERATING WEIGHT  
PLATE MATERIAL Alloy 316  
PLATE GROUPING 1\*24H/1\*25H

Frameplate is depressed 1.2 mm at connection S3/S4  
Pressureplate is depressed 1.2 mm / even number of channel  
plates at connections T3/T4 / uneven number of channel plates at  
connections T1/T2.

T1 T2 T3 T4 locations on back side  
correspond to S1 S2 S3 S4 on front side

ALL DIMENSIONS IN MILLIMETERS

SIDE	MEDIA	INLET	TEMP.	OUTLET	TEMP.	FLOW RATE	PRESSURE DROP	LIQUID VOL.
1								0.67 dm <sup>3</sup>
2								0.7 dm <sup>3</sup>

PRESSURE VESSEL APPROVAL

PED

CB20-50H (3287000017)

[www.alfalaval.com](http://www.alfalaval.com)

CUSTOMER NAME / REF. NO.

COMPANY / REF.

TOTAL LENGTH 105.8 mm  
TOTAL WIDTH 94.0 mm  
TOTAL HEIGHT 324.0 mm

8/24/2017  
REV 0